

# Our Products

## Valves, Metering, and Network Protection



**Water Meter  
Type Waltman Class B**



**Irrigation Water  
Meter**



**Water Meter  
Class C**



**Y-Strainer with  
Flange**



**Air release valve double ball**  
• PN 10/16/25



**Single ball Air Release Valve**  
• PN 10/16/25



**Flanged strainer**



**Anti-surge Valve**



**Float Valve**



**Butterfly Valve with Flange**

- Series 14
- PN 10/16/25
- made of Ductile Iron (GGG 50)
- available in the range DN 150 to DN 2000



**Gate Valve with Elastomer Seated Wedge**

- F4 Series
- PN 10/16/25
- made of Ductile Iron (GGG50)
- available in the range DN 40 to DN 500



**Gate Valve with Elastomer Seated Wedge**

- Long F5 Series
- PN 10/16/25
- made of Ductile Iron (GGG 50)
- available in the range DN 40 to DN 500.



**Double Flap Check Valve**



**Single Flap Check Valve**



**Axial Disc Check Valve**



**Pressure reducing valve**



**Dismantling Joint**

- Available in the range DN 60 to DN 2000



**Galvanized Steel Flange for PE flange adaptor**

- PN 10/16/25



**Weld Flange**

- PN 10/16/25

# Ductile Iron fittings



Double Flanged pipe



Double Flanged pipe with flange in the middle



spigot flanged pipes



End stop



Double Flanged 90° Elbow



Double Flanged 45° Elbow



Double Flanged Reducer



All Flanged Tee



Spigot-Spigot Flanged Tee



Spigot Connections



Socket Elbow



Socket Reducer



Socket Tee



Socket Flanged Tee



Ductile iron pipes

# Polyethylene Parts



Reducing Tee with Flange



Equal Tee with Flange



Reducing Tee



Equal Tee



45° Elbow



90° Elbow



Reducer



Flange Adaptor



Electrofusion coupler



Electrofusion coupler



Electrofusion Tapping Saddle



Electrofusion Tapping Saddle



Cap



Threaded connection pet brass



PE-Metal Transition Coupler



Segmented pet fittings

# Brass Valves & Accessories



Gate Valve



Full Bore Ball Valve  
AND  
Reduced Bore Ball Valve



Swing Check Valve



Y-Strainer Filter



Strainer Check Valve



Fit Strainer Check Valve



Pipe-to-Pipe Straight Connector



Male-to-Pipe Straight  
Connector



Pipe-to-Pipe Elbow  
Connector



Pipe-to-Pipe Tee  
Fitting



Female-to-Pipe Straight Connector  
OR  
Captured Nut Straight Connector



Female Thread-to-Pipe Elbow Connector  
OR  
Captured Nut Elbow Connector



Outlet Valve



Tamper-proof Shut-off Valve  
before Meter



Shut-off Valve after Meter



Garden Faucet



Operating Key

# Fitting Accessories



**Gibault Joint**



**TAPPING Saddle**  
• for Cement Pipes  
• for Polyethylene Pipes




**Coupling**



**Surface box**



**Domestic Water Meter**



**Tabernacle**



**Meter Box**



**Extension Tube**



**Rubber gasket**



**Polyethylene tube**



**Bolts and Nuts**  
• Stainless steel  
• Electric Galvanized



**Hot dip galvanized Bolts and Nuts**

# Welding Machine

Semi-Automatic Welding Machine, available in the range from DN 315 to DN 2000.



Manual Welding Machine, available in the range from DN 40 to DN 160.

